





Biobased polyamide 11 resins

Produced from a renewable source, Rilsan® PA11 is used in a large number of industries such as automotive & transportation, oil & gas, pneumatics, aerospace and many others.

VERSATILE RANGE

Arkema offers a wide range of Rilsan® PA11 grades that span from rigid, glass-filled injection molding grades to flexible, plasticized extrusion grades. This allows for the high-performance polymer of 100% renewable origin to be utilized in a wide variety of applications.



BENEFITS

- Chemical resistance
- Flexibility
- Lightweight
- Impact resistance
- Abrasion resistance
- Ageing resistance
- Temperature resistance
- Burst strength
- Low permeation
- Low moisture uptake
- Easy processing

APPLICATIONS

Automotive & Transportation

- Fuel & clutch lines
- Air brake tubing
- Fluid transfer lines
- Quick connectors & fasteners

Oil & Gas

- Gas pipes & fittings
- Flexible umbilicals & cables
- Umbilical hoses
- Flexible flow-lines, risers and liners

Pneumatics

- Pneumatic hoses, air lines
- Hydraulic hoses

Aerospace

- Electric cable sheathing
- Hydraulic hoses
- Battery casings
- Hoses & ducts

OTHER APPLICATIONS

- Electrical & Electronics
- Wire & Cable
- Sports
- Medical
- Food packaging



Bio-sourced Mechanical Strength Chemical Resistance

RILSAN® PA11 GENERAL PROPERTIES

Grade Family	Intended Processing	Designation	Flexural Modulus MPa, ISO 178	Tensile Modulus MPa, ISO 527	Charpy Impact @ 23°C kJ/m², ISO 179
P40	Extrusion	PA0343	310	345	No break
P20	Extrusion	PA0341	430	510	No break
Unplasticized	Extrusion	PA0322	1100	1280	11
Unplasticized	Injection molding	PA0322	1140	1320	9
Glass filled	Injection molding	PA0322 G30	5600	7300	24

The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, ARKEMA expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement. See MSDS for Health & Safety Considerations.

Arkema strictly prohibits the use of any product, including medical grades, in applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days.

Unless Arkema otherwise expressly agrees by written contract, the Arkema trademarks and the Arkema name shall not be used in conjunction with customers' medical devices, including without limitation, permanent or temporary implantable devices, and customers shall not represent to anyone else, that Arkema allows, endorses or permits the use of Arkema products in such medical devices. Further, all implantable medical devices, whether permanent or temporary, carry a risk of adverse consequences. With regard to implantable medical devices, you should not rely upon the judgment of Arkema. Any decision regarding the appropriateness of a particular medical device in a particular medical application or for a specific clinical use should be based upon the judgment of your physician, medical device supplier and the United States Food & Drug Administration. Unless otherwise specifically stated by Arkema in writing, Arkema does not perform clinical medical studies on implantable medical devices. Arkema cannot weigh the benefits against the risks of a device and does not offer a medical judgment on the safety or efficacy of use of any Arkema product in a medical device.

© 2015 Arkema Inc. All rights reserved.
Rilsan® is a registered trademark of Arkema.



Specialty Polyamides
900 First Avenue, King of Prussia, PA 19406
Tel: +1-800-932-0420 Fax: +1-610-205-7098
www.arkema.com